

To: Foresman, Erin[Foresman.Erin@epa.gov]; Diamond, Jane[Diamond.Jane@epa.gov];
Kemmerer, John[KEMMERER.JOHN@EPA.GOV]
Cc: Vendlinski, Tim[vendlinski.tim@epa.gov]; Skophammer,
Stephanie[SKOPHAMMER.STEPHANIE@EPA.GOV]; Goforth, Kathleen[Goforth.Kathleen@epa.gov];
Hagler, Tom[Hagler.Tom@epa.gov]
From: Johnson, Kathleen
Sent: Thur 3/12/2015 4:55:58 PM
Subject: RE: Contra Costa Water District GM chat with Jared

The request has come in. I haven't talked to him yet about it. The tricky thing here is that we are aware of the BDCP redirect, but others are not. That doesn't preclude a meeting with them soon, but it also may make sense to schedule it after April 1. On the other hand, the April 1 date could certainly become later and later and later....

Jane or I, whichever talks with Jared first, can suss out whether Jared wants to personally take the meeting or have Jane and I do it for him.

Kathleen H. Johnson

Director, Enforcement Division

U.S. EPA - Region 9

75 Hawthorne Street ENF-1

San Francisco, CA 94015

415/972-3873

johnson.kathleen@epa.gov

From: Foresman, Erin
Sent: Thursday, March 12, 2015 9:16 AM
To: Diamond, Jane; Kemmerer, John; Johnson, Kathleen
Cc: Vendlinski, Tim; Skophammer, Stephanie; Goforth, Kathleen; Hagler, Tom
Subject: Contra Costa Water District GM chat with Jared

Hi Jane, John, and Kathleen,

I learned that Contra Costa Water District General Manager Jerry Brown is planning to request a meeting with Jared to discuss BDCP and changes to water quality standards. CCWD identified some of the same issues we identified in our letter on BDCP because their urban water supply is impacted by salinity intrusion. I attached CCWD's BDCP comment letter. The "Overview of Comments" (pages 4-10) summarizes their issues broadly. I anticipate the request will come fairly soon and wanted to give you a heads up. This is a good chance for Jared to hear from a Water District that relies on CWA protection of urban water supply.

Erin Foresman

US EPA | Environmental Scientist | SF Bay Delta

C/O NMFS 650 Capitol Mall| Sacramento, CA 95814

916-930-3722|www.epa.gov/sfbaydelta

Schedule: M 7:30a - 4:00p; T - F 7:30a - 2:00p